

Agenda


- 1. Call to order
- 2. Approval of minutes for October 22, 2018 meeting
- 3. Stakeholder Committee update
 - 1. Update from November 26 morning meeting
- 4. Presentation by Woodard & Curran on GSP development
 - 1. Next Steps in GSP Development
 - 2. Water Allocation Frameworks
 - 3. Projects and Management Actions
 - 4. Other Updates
 - 5. Flood-MAR



Agenda

- 5. Public Outreach Update
- 6. Coordination with Neighboring Basins
- 7. Public Comment
- 8. Next Steps and Adjourn






Approval of Minutes






Stakeholder Committee Update





Next Steps in GSP Development





Jun 2018 Jul 2018 Aug 2018 Sep 2018 Oct 2018 Nov 2018 Dec 2018 Jan 2019 Feb 2019 Mar 2019 Apr 2019 May 2019 Jun 2019 Jul 2019



Next Steps: Hydrogeologic Conceptual Model

- Reminder: Comments for Hydrogeologic Conceptual Model (HCM) section from Coordinating Committee
- Deadline: November 30th

Merced Subbasin Groundwater Sustainability Plan Hydrogeologic Conceptual Model Draft

November 2018

TABLE OF CONTENTS

SECTION			PA	GE NO.
1.1	Basin Set	tings		4
	1.1.1 Hyc		Conceptual Model	
	1.1.1.1	Regio	nal Geologic and Structural Setting	4
	1.1.1.2	Geolo	nal Geologic and Structural Settinggic History	4
	1.1.1.3	Geolo	gic Formations and Stratigraphy	6
	1.1.1.4		and Structural Features.	
	1.1.1.5	Subba	sin Boundaries	26
		1.1.1.5.1	Lateral Boundaries and Boundaries with Neighboring Subbasins	26
		1.1.1.5.2	Bottom of the Merced Basin	28
	1.1.1.6	Princi	oal Aquifers and Aquitards	
		1.1.1.6.1	Aguifers in the Basin	29
		1.1.1.6.2	Principal Aquifers and Aquitards	
	1.1.1.7	Surfac	e and Near-Surface Conditions	42
	1.1.1.8	HCM!	Data Gaps	52
2. REF	ERENCES			53




Next Steps: Water Budget & Sustainable Yield Updates

 Projected water budget and sustainable yield analysis have been updated to reflect future flow reductions resulting from FERC relicensing




[Projected Conditions Baseline - Updated to Reflect FERC Flows]





[Projected Conditions Baseline - Updated to Reflect FERC Flows]






Sustainable Yield – Modeling Analysis

Modeling Approach

 Lower groundwater production through reduced agricultural and urban demand across the model domain

Assumptions


- 25-Year Implementation Period: operations will remain consistent, and groundwater levels will continue to decline until 2040
- Inter-Subbasin Flows: adjoining subbasins will operate similarly to Merced, whereas subsurface flows will remain similar to long-term average historical conditions



DRAFT Results: Initial simulations only address subbasin yield, analysis is needed to gauge effect on ensure minimum thresholds.




[Sustainable Yield Analysis – Updated to Reflect FERC Flows]





[Sustainable Yield Analysis – Updated to Reflect FERC Flows]







[Sustainable Yield Analysis - Updat

160,000 AFY (~25%) less pumping than projected water budget

ows







Water Allocation Framework



How do the pieces fit together?

GW allocation approach determine how we share what GW is available for pumping

Depending on what we decide, some GSAs may be impacted more than others (for example, if everyone has the same amount of GW available per acre, and some have less "other" supplies, they may need more new supplies to reduce the impact on demands compared to someone else who has access to surface water, etc)

Projects and
Management
Actions will Help to
Address Need for
Additional Supply

Projects and
Management Actions
need to be focused on
areas with greatest need
based on allocation
approach

Allocation Approach and Ps&MAs Combined will Affect Thresholds and Objectives

Once a preliminary approach has been agreed upon, we need to confirm we will not create undesirable results between 2020 and 2040; this means revisiting the preliminary thresholds and objectives for each sustainability indicator and adjusting the thresholds, objectives, allocation approach, and Ps&MAs if needed

Allocation
Approach,
Ps&MAs, and
Thresholds May
Require
Management Areas

Depending on the thresholds and objectives, we may need to establish management areas where GW must be managed in a specific, different way compared to the rest of the basin (e.g., subsidence area may require a different approach or implementation timeline than other areas in the basin). GSAs retain Mgmt authority.

Decision-Making Timeline

Major Focus for Today

November	December	Januy	February	March	April
CC and SC discuss potential allocation approaches	 CC recommends preliminary allocation approach to GSA Boards 	GSA Boards consider recommended allocation approach	GSA Boards approve allocation approach		
consider values around approach to Ps&MAs	 CC and SC consider potential Ps&MAs to meet needs 	CC identifies recommended Ps&MAs	CC considers changes to Ps&MAs	 CC recommends Ps&MAs to GSA Boards 	GSA Boards consider / approve Ps&MAs
		CC and SC review benefits / impacts of Ps&MAs and make necessary adjustments	 CC considers changes to thresholds and objectives CC considers need for management areas 	CC recommends thresholds, objectives, and management areas to GSA Boards	GSA Boards consider / approve thresholds, objectives, and management areas

Allocation Framework Discussion

Under SGMA, GSAs have authority to establish groundwater extraction allocations

SGMA and GSPs adopted under SGMA cannot alter water

rights



Examples of Allocation Methods

Method	Description	Advantages	Disadvantages
Pro Rata Allocation per Overlying Acre	Divides available groundwater proportional to property size	 Recognizes correlative nature of groundwater rights Simple in approach and calculation 	 Creates inequities for those who have invested in use of groundwater Ignores legal limitations on use
Pro Rata Allocation per Irrigated Overlying Acre	Allocates each irrigated acre a specific quantity of groundwater	 Acknowledges existing pumping Simple in approach and calculation 	 Does not consider unexercised groundwater rights Does not recognize historic use Ignores legal limitations on use
Allocation Based on Fraction of Historic Pumping	Allocates water based on historic groundwater use	Potential to reduce conflict among existing pumpers	 Requires data re historic use (not always available) Ignores correlative nature of groundwater rights Ignores disproportionate impacts on basin
Comprehensive Allocation Method	Allocates groundwater based on CA law to extent practical and preserves relative priority of water users	 Consistent with CA groundwater law Best chance of surviving judicial scrutiny 	 Complicating and time- consuming Requires substantial stakeholder engagement

This presentation is for informational purposes only and is not intended to provide specific legal advice. If you have any questions about the contents of this document or if you need legal advice as to an issue, please contact your attorney.

Source: Brad Herrema Presentation to Merced GSP CC&SC 10-22-18

Example Application of Allocation Methods to Merced Subbasin – Pro Rata

- Take 500,000 AF (sustainable yield) divided by total basin acreage (516,000 acres) ~ 1 AF/ac
- GSAs can modify implementation and allocation within GSA, but establishes basis for basin-wide management

Advantages	Disadvantages
 Simple Recognizes correlative nature of GW rights 	 Does not explicitly account for appropriators / prescriptive rights Allocates same amount to irrigated and unirrigated acres



Example Application of Allocation Methods to Merced Subbasin – Pro Rata (Irrigated Acres)

- Take 500,000 AF (sustainable yield) divided by irrigated and urban acres in basin (~300,000 acres) ~ 1.7 AF/irrigated ac
- GSAs can modify implementation and allocation within GSA, but establishes basis for basin-wide management

Advantages	Disadvantages
SimpleAcknowledges existing pumping	 Does not explicitly account for appropriators / prescriptive rights Does not account for unexercised GW rights



Example Application of Allocation Methods to Merced Subbasin – Historic Pumping

- Review historic use for prescriptive users such as cities, water purveyors (roughly 15%, or 75,000 AFY) and "everyone else" (roughly 85%, or 425,000 AFY)
- Overlying users could be allocated on a per-acre basis, with (~0.85 AF/ac) or without (1.6 AF/ac) irrigated areas, OR based on historic use if that information is available (comprehensive approach)
- GSAs can modify implementation and allocation within GSA, but establishes basis for basin-wide management

Advantages	Disadvantages
 Less likely to result in conflict among users Explicitly accounts for appropriative use / prescriptive rights 	 Requires more data If unirrigated acres are excluded, does not account for unexercised GW rights



Example Application of Allocation Methods to Merced Subbasin – Comprehensive

- Review historic use for prescriptive users such as cities, water purveyors (roughly 15%, or 75,000 AFY) and "everyone else" (roughly 85%, or 425,000 AFY)
- Overlying users allocated on historical use (information generally not currently available)
- GSAs can modify implementation and allocation within GSA, but establishes basis for basin-wide management

Advantages Less likely to result in conflict among users Explicitly accounts for appropriative use / prescriptive rights Significant outreach and engagement required



Key Decisions

- Explicitly address prescriptive rights?
- Consider all acres or only irrigated acres (can develop approach to bring on users currently not exercising GW rights in the future if needed)?
- Base all use on historic pumping (need significant additional information and an approach to bring on users currently not exercising GW rights in the future if needed)?
- Date range for prescriptive period and / or historical use determination (preliminary draft estimates for discussion purposes only reflect average values from 1996-2015)?





Projects and Management Actions



Projects and Management Actions Overview

- The Groundwater Sustainability Plan will include:
 - Projects and management actions to achieve sustainability over time
 - Implementation plan
 - Thresholds and objectives to measure progress
 - 5-year updates to adapt as needed.
- The goal: Implement projects to help achieve sustainability and minimize impacts to groundwater beneficial users
- Projects and Management Actions can increase supply availability and / or reduce demand for groundwater
 - Evaluate supply-side options and their effect on yield
 - Evaluate various governance options (water market, etc.)
 - Evaluate demand reduction options



Question 1

- For the Merced Subbasin, what do you think is a realistic, achievable ratio of approaches to achieve long-term balance?
 - Reducing total water demand
 - Increasing surface water supplies



Question 2

Prior brainstorming identified many supply actions. Should there be more work to develop demand reduction actions?


Examples from Past Meeting Brainstorm Activities

- Find ways to recharge the groundwater
- Increase groundwater banking
- More surface water is needed
- Capture urban runoff & harvest rainwater/stormwater in urban areas
- Capture Merced River flood flows
- Consider use of groundwater credits
- Put recharge areas in subsidence areas
- Supply surface water to subsidence areas
- Improve land use & use groundwater model for land use decisions
- More education about water use efficiency is needed
- Water transfers out of the Merced Subbasin not desirable



Question 3

Do these projects reflect a sufficient range of project types for the implementation plan? Are there specific project types we should be focusing on?



*Many projects are relevant for several of the above. Placeholder & example projects not included.

Question 4

- What do you think is most practical/workable for the Merced Subbasin?
 - Large projects to address regional needs
 - Potentially longer lead times, coordination and agreement needs
 - Small or medium sized projects with localized implementation
 - Likely quicker to implement, but more needed to address full basin needs



Question 5

- What criteria should we use to assess projects?
 - Yield: total acre-feet yield of project
 - Unit cost: dollars per acre-foot (excluding regulatory compliance costs)
 - Location: project benefits are located in an area of known groundwater elevation issues
 - DAC benefits: addresses disadvantaged community needs
 - Environmental benefits / impacts: benefits and impacts on the environment from the project (divided into different types)
 - Feasibility and status: difficulty or ease of implementation (e.g. technical or regulatory complexity, public acceptance)

MERCED

- Water Quality: negative or beneficial impact to water quality.
- Others?

Next Steps

- Determine recommended allocation approach and identify areas of greatest need for projects and management actions
- Develop and apply criteria to assess and evaluate projects
- Determine effects of projects / management actions on basin conditions (sustainability indicators)
- Identify projects for inclusion in the GSP implementation plan
- Review and revise thresholds and projects as required;
 consider need for management areas
- Revise implementation plan as needed to achieve groundwater sustainability and threshold compliance





Other Updates



Other Updates


- Monitoring Networks section of GSP underway
- DMS section next





Flood-MAR





Public Outreach Update



Public Outreach: Upcoming Events

Community Outreach Workshops

- Planada Community Center: Tuesday, December 4, 6:00 to 8:00 p.m., Planada Community Center, Main Hall, 9167 Stanford St., Planada, CA 95365
- Franklin Elementary School: Thursday, December 13, 6:00 to 8:00 p.m., Franklin Elementary School, Multipurpose Room, 2736 Franklin Rd, Merced, CA 95348

Focus of outreach workshops:

- Purpose, goals, and timeline for the Groundwater Sustainability Plan
- What the preliminary water budgets show about groundwater overdraft in the Merced Subbasin
- Possible management actions and projects to offset groundwater deficits



Public Outreach: Upcoming Events

- Links and flyers available for upcoming workshops on Merced SGMA website:
 - http://www.mercedsgma.org/meeting s.html (Meetings page)
- Notices are available in English and Spanish:
 - Workshop Notice (English)
 - Aviso de taller público (Español)



Merced Subbasin Groundwater Sustainability Agencies to Host Two Community Workshops

Merced Subbasin Groundwater Sustainability Planning Continues Get Involved Now to Learn and Provide Input about the Future of Groundwater

The three groundwater sustainability agencies (GSAs) in the Merced Subbasin (Merced Subbasin Groundwater Sustainability Agency, Merced Irrigation-Urban Groundwater Sustainability Agency, and Turner Island Groundwater Sustainability Agency) will host two public workshops to discuss the Groundwater Sustainability Plan the agencies are developing for the Merced Subbasin.

Tuesday, December 4, 2018 6 p.m. to 8 p.m. Planada Community Center

Main Hall 9167 Stanford Ave., Planada, CA 95365 Thursday, December 13, 2018 6 p.m. to 8 p.m.

Franklin Elementary School Multipurpose Room 2736 Franklin Rd, Merced, CA 95348

All interested community members, ranchers, farmers, landowners, business owners, and residents with private wells are encouraged to attend. The workshops are an opportunity to learn more about groundwater management and discuss, ask questions, and provide input on the following discussion tooks:

- Where we are in the GSP Process
- What the preliminary water budgets show about groundwater overdraft in the Merced Subbasin



Las Agencias del Manejo Sostenible de Agua Subterránea de la Subcuenca Merced Llevaran a Cabo Dos Talleres Comunitarios

Continúa la planificación del manejo sostenible del agua subterránea en la subcuenca de Merced.

Participe ahora para aprender más e influía el futuro del agua subterránea.

Las tres agencias del manejo sostenible de agua subterrânea (GSA's, por sus siglas en inglés) en la subcuenca Merced (Agencia de Manejo Sostenible de Agua Subterrânea de la Subcuenca de Merced, la Agencia del Manejo Sostenible de Agua Subterrânea de Irrigación de Merced y la Agencia del Manejo Sostenible de Agua Subterrânea de Turner Island] llevaran a cabo <u>dos talleres públicos</u> para analizar el Plan de Sostenibilidad de Agua Subterrânea (GSP) que desarrollan las agencias de la Subcuenca Merced.

martes, 4 de diciembre del 2018 6 p.m. to 8 p.m.

Centro Comunitario de Planada Main Hall 9167 Stanford Ave., Planada, CA 95365 jueves, 13 de diciembre del 2018 6 p.m. to 8 p.m.

Franklin Elementary School Multipurpose Room 2736 Franklin Rd., Merced, CA 95348

Animamos a todos los miembros de la comunidad, rancheros, granjeros, propietarios de tierras, empresarios y residentes con pozos privados, que tiene interés en aprender más a que participen en estos talileres. Los talleres son una oportunidad para aprender más sobre el mánejo del agua subterránea y para discutir, hacer preguntas y orgoprojonar información sobre los siguientes temas de discusión:


- Donde estamos en el proceso del desarrollo de GSP
- Que demuestran los presupuestos preliminares de agua sobre el sobregiro de agua subterránea en la subcuenca de Merced




Coordination With Neighboring Basins Update



Coordination with Neighboring Basins





Questions/Comments from Public





Next Steps



What's coming up next?

- GSP Development Items:
 - Water Budgets summary memo being provided for review and approval by GSAs
 - Assess projects and management actions
- Focus for December meeting
 - Allocation approaches (continued)
 - Projects and management actions (continued)
- Adjourn to next meeting (Adjourn to December 17th @ 1:30
 PM, location Castle Airport)



